

EVIS LUCERA E L I T E

EVIS LUCERA ELITE COLONOVIDEOSCOPE



High-definition optical magnification combined with enhanced maneuverability



EVIS LUCERA ELITE COLONOVIDEOSCOPE


OLYMPUS PCF-H290ZL/I



Main Features

HDTV and NBI (Narrow Band Imaging)

With its HDTV image quality, the PCF-H290ZL/I enables clear views of the mucosal surface. Combined with the brighter NBI, mucosal tissue and capillary networks are enhanced, to further support detailed observation.




High Optical Magnification in a Slim Diameter

While maintaining a slim outer diameter, the PCF-H290ZL/I provides 110x* optical magnification. The high optical magnification may contribute to the detection/diagnosis of the lesions.

*When using HIGH DEFINITION LCD MONITOR OEV262H




Optical zoom + NBI



Optical zoom + Dve sprav

Wide Viewing Angle

A 170° wide-angle field of view is now achieved. This can help physicians to detect mucosal changes more rapidly with less need for angulation.



RIT (Responsive Insertion Technology)

RIT combines three proprietary insertion tube technologies in EVIS LUCERA ELITE 290 Series scopes. These technologies are designed to facilitate complete colonoscopies by improving scope handling, insertability and ergonomics.

Waterproof One-touch Connector

The new connector design minimizes the effort required for setup prior to and in between cases. In addition, it is fully submersible and eliminates the need for a water-resistant cap and the associated risk of an



expensive repair due to accidental immersion.



adifications

Optical System	Field of view	Wide: 170°/Tele: 85°		Channel inner diameter	3.2 mm
	Direction of view	Forward viewing		Minimum visible distance	3.0 mm from the distal end
	Depth of field	Wide: 7 to 100 mm/ Ii Tele: 1 to 2 mm Iii	Instrument Channel	Direction from which endotherapy	
Insertion Section	Distal end outer diameter 11.7 mm			endoscopic image	
	Distal end enlarged Light-guide Lens U Objective Lens Right	P Air/Water Nozzle	Water Jet Channel	Direction from which the water jet enter in the endoscopic image	
	Instrument Channel Outlet	Auxiliary Water Channel	Bending Section	Angulation range	Up 180°/Down 180°/ Right 160°/Left 160°
			Total Length	L: 2005 mm l: 1655 mm	
	Insertion tube outer diameter 11.8 mm		Compatible EVIS	EVIS LUCERA ELITE VIDEO SYSTEM CENTER OLYMPUS CV-290 EVIS LUCERA ELITE XENON LIGHT SOURCE OLYMPUS CLV-290SL, CLV-29	
	Working length L: 1680 mm I: 1330 mm		LUCERA System		

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.



OLYMPUS MEDICAL SYSTEMS CORP.

Shinjuku Monolith, 2-3-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 163-0914, Japan

For a complete listing of sales and distribution locations visit: www.olympus.com